

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MouldX Silicone

Synonyms:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name: Arc Building Products
IDA Business & Technology Park
Ballynattin
Arklow
Co. Wicklow
Ireland

Tel: +353 (0)402 32370

Fax: +353 (0)402 24168

Email: sales@arcbuildingproducts.ie

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: -: EUH208; -: EUH210; Aquatic Chronic 3: H412

Most important adverse effects: Contains DCOIT. May produce an allergic reaction. Safety data sheet available on request. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains DCOIT. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements: P273: Avoid release to the environment.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

SAFETY DATA SHEET

MouldX Silicone

Page: 2

Hazardous ingredients:

TRIACETOXYETHYLSILAN - REACH registered number(s): 01-2119881778-15-0000

EINECS	CAS	PBT / WEL	CLP Classification	Percent
241-677-4	17689-77-9	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318	1-5%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. In case of persisting irritation call in a physician. Where possible show the physician container or label.

Eye contact: After separating the eyelids immediately flush eyes thoroughly with plenty of water. In case eye irritation persists, consult an oculist.

Ingestion: Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact. For a preparation of very similar composition, minor reversible effects were observed but the preparation was not irritant to skin or eyes according to EU criteria.

Eye contact: There may be irritation and redness. For a preparation of very similar composition, minor reversible effects were observed but the preparation was not irritant to skin or eyes according to EU criteria.

Inhalation: Product releases acetic acid during curing. After curing, product is odourless and indifferent.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Treat symptomatically.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Dry chemical powder. Water spray. Alcohol or polymer foam. Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

[cont...]

SAFETY DATA SHEET

MouldX Silicone

Page: 3

with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste)

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not eat, drink or smoke during application. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Avoid contact with water or humidity. Keep away from direct sunlight.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required. Breathing apparatus in the event of high concentration. Gas/vapour filter, type E: sulphur dioxide and other acid gases (EN141).

Hand protection: Butyl gloves. Nitrile gloves. PVC gloves. Breakthrough time of the glove material > 1 hour.

Eye protection: Safety glasses with side-shields.

[cont...]

SAFETY DATA SHEET

MouldX Silicone

Page: 4

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Paste

Colour: Various

Odour: Characteristic odour

Flash point°C: > 150

Autoflammability°C: ca. 427

Relative density: ca. 1.0

VOC g/l: < 30

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Humidity. Heat. Direct sunlight.

10.5. Incompatible materials

Materials to avoid: Water. Acids. Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of nitrogen oxides. Silica.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

TRIACETOXYETHYLSILAN

ORAL	RAT	LD50	380	mg/kg
------	-----	------	-----	-------

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact. For a preparation of very similar composition, minor reversible effects were observed but the preparation was not irritant to skin or eyes according to EU criteria.

[cont...]

SAFETY DATA SHEET

MouldX Silicone

Page: 5

Eye contact: There may be irritation and redness. For a preparation of very similar composition, minor reversible effects were observed but the preparation was not irritant to skin or eyes according to EU criteria.

Inhalation: Product releases acetic acid during curing. After curing, product is odourless and indifferent.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

TRIACETOXYETHYLSILAN

Daphnia magna	48H EC50	62	mg/l
FISCH	96H LC50	251	mg/l
Selenastrum capricornutum	72H IC50	73	µg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Non-volatile. Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: After curing, product can be disposed of with domestic or commercial waste. Non-cured material has to be handled as special waste.

Waste code number: 08 04 10

Disposal of packaging: Empty (clean) container can be disposed of (category: commercial waste, municipal waste).

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

[cont...]

SAFETY DATA SHEET

MouldX Silicone

Page: 6

14.1. UN number

UN number: UN0000

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Biocidal Products Regulation (EU 528/2012): "Contains biocide: silver, carbendazim, DCOIT. May produce an allergic reaction."

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.