



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 9-5-2018 Revision date: 28-8-2018 Supersedes: 9-5-2018 Version: 1.1

SECTION 1: Id	ntification of the subst	ance/mixture and of the	company/undortaking		
1.1. Product ider		ance/mixture and or the	company/undertaking		
Product form		: Mixture			
Trade name		: Superfarm 15W30			
Product code		: ST-A.11.02			
Type of product		: Use in lubricants			
Product group		: Trade product			
	ntified uses of the substar	ice or mixture and uses ad	vised against		
1.2.1. Relevant ide					
Intended for genera					
Main use category		: Industrial use, Professional u	se.Consumer use		
Use of the substance	e/mixture	: Engine oil			
	d a water of	5			
1.2.2. Uses advised No additional inform	•				
	e supplier of the safety dat	a shoot			
Maxol Lubricants,	e supplier of the safety dat				
,					
Unit D, Airport Busi	ness Campus,				
Santry, Dublin 9 Ireland					
Tel: 01 8060300					
1.4. Emergency	telephone number				
Country	Organisation/Company	Address	Emergency number	Comment	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough	Penarth CF64 2XX Cardiff	0344 892 0111		
	Hospital				
SECTION 2: Ha	zards identification				
	n of the substance or mixt	ure			
Classification acco	ording to Regulation (EC) No.	1272/2008 [CLP]Mixtures/Subs	stances: SDS EU 2015: Accord	ding to Regulation (EU)	
2015/830 (REA				0 0 0 ,	
Hazardous to the ac	quatic environment — Chronic H	azard, Category 3 H412			
Full text of H statem	ents : see section 16				
Adverse physicocl	hemical, human health and en	vironmental offects			
	fe with long lasting effects.	vironmental enects			
2.2. Label eleme	0 0				
		/2008 ICL D1			
Signal word (CLP)	g to Regulation (EC) No. 1272				
e (,		· H412 Harmful to aquatic lit	fo with long lasting offects		
	Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.				
Precautionary state	Precautionary statements (CLP) : P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.				
EUH-statements : EUH208 - Contains C14-C18 alpha-olefin epoxide, reaction products with boric acid, Triphenyl phosphite, Benzene, polypropene derivatives, sulfonated, calcium salts. May produce an allergic reaction.					
2.3. Other hazards					
No additional information available					
SECTION 3: Co	omposition/information	on ingredients			
SECTION 3: Composition/information on ingredients 3.1. Substances					
Not applicable					
3.2. Mixtures					

3.2. Mixtures Comments

: Highly refined mineral oils and additives.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	(CAS-No.) 4259-15-8 (EC-No.) 224-235-5 (REACH-no) 01-2119493635-27	1 - 5	Eye Dam. 1, H318 Aquatic Chronic 2, H411
Calcium branched alkyl phenate sulphide (overbased)	(EC-No.) Polymer	0,1 - 2,5	Aquatic Chronic 4, H413
C14-C18 alpha-olefin epoxide, reaction products with boric acid	(EC-No.) 939-580-3	0,1 - 1	Skin Sens. 1B, H317
Benzene, polypropene derivatives, sulfonated, calcium salts	(EC-No.) Polymer	0,1 - 1	Skin Sens. 1B, H317
triphenyl phosphite	(CAS-No.) 101-02-0 (EC-No.) 202-908-4 (EC Index-No.) 015-105-00-7 (REACH-no) 01-2119511213-58	< 1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
O,O,O-triphenyl phosphorothioate	(CAS-No.) 597-82-0 (EC-No.) 209-909-9 (REACH-no) 01-2119979545-21	< 1	Repr. 2, H361fd
Phenol, dodecyl-, branched	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (REACH-no) 01-2119513207-49	< 0,1	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360FD Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Comments :	* contains one or more of the following 64741-88-4 (01-2119488706-23), 647 2119487081-40), 64741-96-4 (01-211 64742-01-4 (01-2119488707-21), 647 2119480375-34), 64742-54-7 (01-211 64742-56-9 (01-2119480132-48), 647 2119480472-38), 64742-65-0 (01-211 72623-85-9 (01-2119555262-43), 726 2119474889-13), 74869-22-0 (01-211	41-89-5 (01-21 9483621-38), 6 42-52-5 (01-21 9484627-25), 6 42-57-0 (01-21 9471299-27), 6 23-86-0 (01-21	19487067-30), 64741-95-3 (01- 4741-97-5 (01-2119480374-36), 19467170-45), 64742-53-6 (01- 4742-55-8 (01-2119487077-29), 19489287-22), 64742-62-7 (01- 4742-71-8 (01-2119485040-48),

The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: No additional information available. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.
4.3. Indication of any immediate medical at	tention and special treatment needed
Treat symptomatically.	

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Combustible liquid.	
Hazardous decomposition products in case of fire	: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	





Lubricants

Superfarm 15W30

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	, , , ,			
SECTION 6: Accidental release m	easures			
6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.	Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up				
Methods for cleaning up	or cleaning up : Take up liquid spill into absorbent material.			
Other information	: Dispose of materials or solid residues at an authorized site.			
6.4. Reference to other sections				
For further information refer to section 13.				
SECTION 7: Handling and storage	e			
7.1. Precautions for safe handling				
Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour.			
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.			
7.2. Conditions for safe storage, including any incompatibilities				

Storage temperature 7.3. Specific end use(s)

Storage conditions

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Multitrac 15W30		
EU	Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/m ³ - ACGIH TLV (inhalable fraction).	
8.2. Exposure controls		
Appropriate engineering controls:		
Ensure good ventilation	n of the work station	

heat.

: 0 - 40 °C

: Keep container closed when not in use. Keep in a cool, well-ventilated place away from

Ensure good ventilation of the work station.

Materials for protective clothing: Wear suitable protective clothing Hand protection: Protective gloves Туре Material Permeation Thickness (mm) Penetration Standard Reusable gloves Nitrile rubber (NBR), 5 (> 240 minutes), 6 (> >=0,35 EN 374 Neoprene rubber 480 minutes) (HNBR) Eye protection: Safety glasses Туре Use Characteristics Standard Safety glasses Droplet clear EN 166 Skin and body protection: Wear suitable protective clothing **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Colour	: Brown.			
Odour	: characteristic.			
Odour threshold	: No data available			
pH	: No data available			
Relative evaporation rate (butylacetate=1)	: No data available			
Melting point	: Not applicable			
Freezing point	: -36 °C - ASTM D5950 (pour point)			
Boiling point	: No data available			
Flash point	: 220 °C - ASTM D92 (COC)			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: Not applicable			
Vapour pressure	: No data available			
Relative vapour density at 20 °C	: No data available			
Relative density	: No data available			
Density	: 0,866 kg/l (15 °C) - ASTM D4052			
Solubility	: Water : Practically not miscible.			
Log Pow	: No data available			
Viscosity, kinematic	: 76,6 mm²/s (40 °C) - ASTM D7279			
Viscosity, dynamic	: No data available			
Explosive properties	: Presents no particular fire or explosion hazard.			
Oxidising properties	: No data available			
Explosive limits	: No data available			
9.2. Other information				
VOC content	:0%			

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Reacts violently with (strong) oxidizers.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No decomposition if stored normally.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral) :	Not classified	
Acute toxicity (dermal) :	Not classified	
Acute toxicity (inhalation) :	Not classified	
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
LD50 oral rat 3100 mg/kg (OECD 401 method)		



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit

> 5000 mg/kg (OECD 402 method)

nent	Rea	Ilation	(EI	I)	2

MAXOL



triphenyl phosphite (101-02-0)	
LD50 oral rat	1600 mg/kg

Phenol, dodecyl-, branched (121158-	58-5)
LD50 oral rat	2100 mg/kg (OECD 401 method)
LD50 dermal rabbit	15000 mg/kg (OECD 402 method)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Multitrac 15W30	
Viscosity, kinematic	76,6 mm²/s (40 °C) - ASTM D7279

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general :	Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity :	Not classified
Chronic aquatic toxicity :	Harmful to aquatic life with long lasting effects.
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos	phate) (4259-15-8)
LC50 fish 1	4,4 mg/l (Oncorhynchus mykiss, 96h) [OECD 203]
EC50 Daphnia 1	75 mg/l (Daphnia magna, 48h) [OECD 202]
ErC50 (algae)	> 240 mg/l (Desmodesmus subspicatus, 72h)

Calcium branched alkyl phenate sulphide (overbased)	
LC50 fish 1	> 1000 mg/l
EC50 Daphnia 1	> 1000 mg/l
EC50 96h algae (1)	> 1000 mg/l

C14-C18 alpha-olefin epoxide, reaction products with boric acid	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 100 mg/l
EC50 72h algae (1)	> 100 mg/l
NOEC chronic crustacea	100 mg/l

triphenyl phosphite (101-02-0)	
EC50 Daphnia 1	0,94 mg/l

Phenol, dodecyl-, branched (12115	8-58-5)	
LC50 fish 1	40 mg/l (Pimephales promelas, 96h) (OECD 203 method)	
EC50 Daphnia 1	0,037 mg/l (Daphnia magna, 48h) (OECD 202 method)	
EC50 72h algae (1)	0,15 mg/l (Desmodesmus subspicatus, 72h) (OECD 201 method)	
NOEC (chronic)	0,0037 mg/l (Daphnia magna, 21d) (OECD 211 method)	
		E (4.0

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	
Biodegradation 5 % (closed bottle 28d.)	

triphenyl phosphite (101-02-0)	
Biodegradation	0,1 % (closed bottle 28d.)

Phenol, dodecyl-, branched (121158-58-5)	
Biodegradation	25 % Sturm (28 d)
12.3. Bioaccumulative potential	
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	
Log Pow	3,59
Log Kow	3,6 (octanol/water 0.1d)

Calcium branched alkyl phenate sulphide (overbased)	
BCF fish 1	2,2
Log Kow	11,08

C14-C18 alpha-olefin epoxide, reaction products with boric acid	
Log Kow	9,4

triphenyl phosphite (101-02-0)	
Log Kow	6,62 (octanol/water 0.1d.)

Phenol, dodecyl-, branched (121158-58-5)		
Bioconcentration factor (BCF REACH)	2,9 (27 d)	
Log Pow	7,1	
Log Kow	7,1 Octanol-water coefficient (0.1 d)	
12.4. Mobility in soil No additional information available		
12.5. Results of PBT and vPvB assessment No additional information available		
12.6. Other adverse effects No additional information available		

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN IMDG ΙΑΤΑ ADN RID ADR 14.1. UN number Not applicable Not applicable Not applicable Not applicable Not applicable 14.2. UN proper shipping name Not applicable Not applicable Not applicable Not applicable Not applicable 14.3. Transport hazard class(es) Not applicable Not applicable Not applicable Not applicable Not applicable





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	. ,	• • • •		
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				
14.6. Special precautions	s for user			
Overland transport				
Not applicable				
Transport by sea				
Not applicable				
Air transport				
Not applicable				
Inland waterway transport				
Not applicable				
Rail transport				
Not applicable				
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code				
Not applicable				

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Multitrac 15W30 - triphenyl phosphite - zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	C14-C18 alpha-olefin epoxide, reaction products with boric acid - triphenyl phosphite - zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	C14-C18 alpha-olefin epoxide, reaction products with boric acid - triphenyl phosphite - zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content :0% Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information			
Indication of changes:			
Section	Changed item	Change	Comments
	Date of issue	Modified	
	Flammability (solid, gas)	Modified	
	Comments	Modified	
	Supersedes	Removed	
	Revision date	Removed	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1.2Use of the substance/mixtureAdded1.2Function or use categoryRemoved2.1Adverse physicochemical, human health and environmental effectsAdded2.2Precautionary statements (CLP)Modified3Composition/information on ingredientsModified	
2.1 Adverse physicochemical, human health and environmental effects Added 2.2 Precautionary statements (CLP) Modified 3 Composition/information on Modified	
health and environmental effects 2.2 Precautionary statements (CLP) 3 Composition/information on Modified	
3 Composition/information on Modified	
4.1 First-aid measures after ingestion Modified	
4.1 First-aid measures general Modified	
4.1 First-aid measures after eye Modified contact	
4.1 First-aid measures after inhalation Modified	
4.1 First-aid measures after skin Modified contact	
4.2 Symptoms/effects after ingestion Added	
4.3 Other medical advice or treatment Modified	
5.1 Suitable extinguishing media Modified	
5.2 Hazardous decomposition Added	
5.2 Fire hazard Added	
5.3 Firefighting instructions Removed	
5.3 Protection during firefighting Modified	
6.1 Protective equipment Modified	
6.1 Emergency procedures Modified	
6.1 Emergency procedures Removed	
6.2 Environmental precautions Modified	
6.3 Other information Added	
6.3 Methods for cleaning up Modified	
6.4 Reference to other sections (8, 13) Modified	
7.2 Incompatible products Removed	
7.2 Incompatible materials Removed	
8.2 Skin and body protection Added	
8.2 Appropriate engineering controls Added	
8.2 Personal protective equipment Removed	
8.2 Hand protection Modified	
8.2 Eye protection Modified	
8.2 Respiratory protection Modified	
8.2 Other information Removed	
9.1 Melting point Added	
9.1 Freezing point Modified	
9.1 Flash point Modified	
9.1 Viscosity, kinematic Modified	
9.1 Density Modified	
10.1 Reactivity Added	
10.2 Chemical stability Modified	
10.3 Possibility of hazardous reactions Modified	
10.4 Conditions to avoid Modified	



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	5. 1907/2000 ((REACIT) with its amendine	nt Regulation (EU) 2015/830		
10.5	Incompatib	le materials	Removed		
11.1	Additional information		Removed		
11.1	Additional information		Removed		
11.1	Additional information		Removed		
11.1	Additional information		Removed		
11.1	Additional information		Removed		
11.1	Additional information		Removed		
11.1	Additional i	nformation	Removed		
11.1	Additional i	nformation	Removed		
11.1	Additional i	nformation	Removed		
11.1	Potential a effects and	dverse human health symptoms	Removed		
12.1	Ecology - g	jeneral	Added		
12.1	Ecology - v	vater	Removed		
12.2	Persistence	e and degradability	Removed		
12.3	Bioaccumu	lative potential	Removed		
13.1	Waste trea	tment methods	Modified		
13.1	Ecology - v	vaste materials	Removed		
15.1	REACH Ar	inex XVII	Added		
16	Abbreviatio	ons and acronyms	Added		
16	Data sourc	es	Removed		
16	Other infor	mation	Removed		
Abbreviations and acrony	yms:		·		
ADN		European Agreement o	concerning the International Carriage	of Dangerous Goods by Inland Waterways	
ADR		European Agreement o	concerning the International Carriage	e of Dangerous Goods by Road	
ATE		Acute Toxicity Estimate	9		
BCF	Bioconcentration factor				
CLP	CLP Classification Labelling		Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL Derived Minimal Effect		level			
DNEL		Derived-No Effect Leve			
EC50 Median effective concer		entration			
IARC		International Agency for	r Research on Cancer		
ΙΑΤΑ		International Air Transp	port Association		
IMDG		International Maritime I	Dangerous Goods		
LC50 Median lethal concentra		ation			
LD50 Median lethal dose					
LOAEL Lowest Observed Adver		erse Effect Level			
NOAEC No-Observed Adverse I		Effect Concentration			
NOAEL No-Observed Adverse B		Effect Level			
NOEC No-Observed Effect Con		oncentration			
OECD Organisation for Econor		mic Co-operation and Development			
PBT Persistent Bioaccumulat		ative Toxic			
PNEC	EC Predicted No-Effect Concentration				
REACH	REACH Registration, Evaluation,		n, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID Regulations concerning		g the International Carriage of Dangerous Goods by Rail			
vPvB		Very Persistent and Ve			
9-5-2018 (Version: 1.0)			EN (English)	9/10	



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-sta	tements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Repr. 1B	Reproductive toxicity, Category 1B	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1C	Skin corrosion/irritation, Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H360FD	May damage fertility. May damage the unborn child.	
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
EUH208	Contains C14-C18 alpha-olefin epoxide, reaction products with boric acid, Triphenyl phosphite, Benzene, polypropene derivatives, sulfonated, calcium salts. May produce an allergic reaction.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product