

Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.004

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier** : Mr Muscle® Drain Gel
UFI: 2HVN-V02K-G00U-MT9F
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Use of the Substance/Mixture : Washing and cleaning products (including solvent based products)
- Uses advised against** : None identified
- 1.3 Details of the supplier of the safety data sheet** : SC Johnson Ltd.
Frimley Green
Camberley

GU16 7AJ
- Telephone** : +441276852000
- E-mail address** : ask.uk@scj.com
- 1.4 Emergency telephone number** : Consumer Care Center:
UK - 0800 353 353
Ireland- 1800 409 176

Poison Centre:
Ireland - (01)809 2166
Available 8.00 a.m. to 10.00 p.m. 7 days a week

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.004

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Hazard classification | Hazard category | Hazards identification |
|------------------------------------|-----------------|--|
| Corrosive to metals | Category 1 | May be corrosive to metals. |
| Skin corrosion | Category 1 | Causes severe skin burns and eye damage. |
| Serious eye damage | Category 1 | Causes serious eye damage. |
| Short-term (acute) aquatic hazard | Category 1 | Very toxic to aquatic life. |
| Long-term (chronic) aquatic hazard | Category 2 | Toxic to aquatic life with long lasting effects. |

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard symbols**Signal word**

Danger

Contains

Sodium hypochlorite

caustic soda

Amines, C12-18-alkyldimethyl, N-oxides

Hazard statements

(H290) May be corrosive to metals.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.004

(H314) Causes severe skin burns and eye damage.
(H410) Very toxic to aquatic life with long lasting effects.

Precautionary statements

- (P101) If medical advice is needed, have product container or label at hand.
- (P102) Keep out of reach of children.
- (P310) Immediately call a POISON CENTER/doctor.
- (P303 + P361 + P353) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- (P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- (P301 + P330 + P331) IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- (P304 + P340) IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- (P405) Store locked up.
- (P501) Dispose of contents /container in accordance with local regulations.
- (P260) Do not breathe fume.
- (P280) Wear protective gloves / eye protection.

EUH Statements

(EUH206) Warning! Do not use together with other products. May release dangerous gases (chlorine).

Additional Labelling

Keep container tightly closed in a cool place and store bottle upright.

Detergents regulations : **Contains**
< = 5% chlorine-based bleaching agents, soap, amphoteric surfactants,

2.3 Other hazards : None identified

Mr Muscle® Drain Gel

Version 5.0
 Revision Date 17.11.2022

Print Date 08.02.2023
 Specification Number: 350000007542
 SITE FORM Number:
 300000000000000006629.00630000000
 000000006629.004

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

| Chemical name | CAS-No./EC No | Reg. No | Classification according to Regulation (EC) No 1272/2008 (CLP) | Weight percent |
|---------------------|------------------------|------------------|---|------------------|
| Sodium hypochlorite | 7681-52-9 231-668-3 | 01-2119488154-34 | Skin corrosion Category 1B H314 Serious eye damage Category 1 H318 Short-term (acute) aquatic hazard Category 1 H400 Long-term (chronic) aquatic hazard Category 1 H410 M-Factor Acute - 10 | >= 1.00 - < 5.00 |

Mr Muscle® Drain Gel

Version 5.0
 Revision Date 17.11.2022

Print Date 08.02.2023
 Specification Number: 350000007542
 SITE FORM Number:
 30000000000000006629.00630000000
 000000006629.004

| | | | | |
|-----------------|------------------------|------------------|---|---------------------|
| | | | M-Factor Chronic - 1 | |
| caustic soda | 1310-73-2 215-185-5 | 01-2119982981-22 | Skin corrosion Category 1A H314 Serious eye damage Category 1 H318 | >= 1.00 - < 5.00 |
| sodium chlorate | 7775-09-9 231-887-4 | 01-2119474389-23 | Oxidizing solids Category 1 H271 Acute toxicity Category 4 H302 Long-term (chronic) aquatic hazard Category 2 H411 | >= 1.00 - < 5.00 |
| sodium bromate | 7789-38-0 232-160-4 | 01-2120767488-36 | Acute toxicity Category 4 H302 | >= 0.10 - < 0.50 |

Mr Muscle® Drain Gel

Version 5.0
 Revision Date 17.11.2022

Print Date 08.02.2023
 Specification Number: 350000007542
 SITE FORM Number:
 300000000000000006629.00630000000
 000000006629.004

| | | | | |
|---|-------------------------|------------------|--|---------------------|
| | | | Skin corrosion/irritation Category 2 H315 Serious eye damage/eye irritation Category 2 H319 Oxidizing liquid Category 1 H271 Specific target organ toxicity - single exposure Category 3 H335 | |
| Amines, C12-18-alkyldimethyl, N-oxides | 68955-55-5 931-341-1 | 01-2119489396-21 | Skin irritation Category 2 H315 Serious eye damage Category 1 | >= 1.00 - < 5.00 |

Mr Muscle® Drain Gel

Version 5.0
 Revision Date 17.11.2022

Print Date 08.02.2023
 Specification Number: 350000007542
 SITE FORM Number:
 30000000000000006629.00630000000
 000000006629.004

| | | | | |
|--|--|--|---|--|
| | | | H318 Long-term (chronic) aquatic hazard Category 2 H411 Short-term (acute) aquatic hazard Category 1 H400 Acute toxicity Category 4 H302 M-Factor Acute - 1 | |
|--|--|--|---|--|

Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation : In case of accidental exposure to chlorine gas:
 Move to fresh air.

Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.004

- If breathing is difficult, give oxygen.
Get medical attention immediately.
- Skin contact : Take off all contaminated clothing immediately.
Immediately flush skin with large amounts of water.
Get medical attention if irritation develops and persists.
Wash contaminated clothing before re-use.
- Eye contact : Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
Flush immediately with plenty of water for at least 15 to 20 minutes.
In case of accidental exposure to chlorine gas:
Get medical attention immediately.
- Ingestion : Do NOT induce vomiting.
Rinse mouth with water.
Get medical attention immediately.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Eyes : Causes serious eye damage.
No adverse effects expected when used as directed.
- Skin effect : Causes severe skin burns.
No adverse effects expected when used as directed.
- Inhalation : Warning! Do not use together with other products. May release dangerous gases (chlorine).
May cause respiratory tract irritation.
No adverse effects expected when used as directed.

Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.004

Ingestion : Causes digestive tract burns.
No adverse effects expected when used as directed.

4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable : None identified

5.2 Special hazards arising from the substance or mixture : In case of fire and/or explosion do not breathe fumes.
Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters : In the event of fire, wear self-contained breathing apparatus.
Wear suitable protective clothing and gloves.
Refer to current EN or National standard as appropriate.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and : Use personal protective equipment.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.004

emergency procedures

- 6.2 Environmental precautions** : Outside of normal use, avoid release to the environment.
Prevent large amounts of product from entering drains.
Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Use appropriate containment to avoid environmental contamination.
- 6.3 Methods and materials for containment and cleaning up** : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Clean residue from spill site.
Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections** : For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** : For personal protection see section 8.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
Wear personal protective equipment.
Normal measures for preventive fire protection.
- 7.2 Conditions for safe storage, including any incompatibilities** : Store in original container.
Do not freeze.
Keep out of the reach of children.
Store away from food, beverages and pet food.
No decomposition if stored and applied as directed.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.006300000000

000000006629.004

7.3 Specific end use(s) : Consumer uses: Private households (= general public = consumers)
Washing and cleaning products (including solvent based products)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****Occupational Exposure Limit Values**

| Components | CAS-No. | mg/m ³ | ppm | Form of exposure | List |
|--------------|-----------|---------------------|-----|------------------|------------|
| caustic soda | 1310-73-2 | 2 mg/m ³ | | | UK_WELSTEL |

Refer to current EN or National standard as appropriate.

8.2 Exposure controls

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
- Hand protection : Wear suitable gloves.
Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours.
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Before removing gloves clean them with soap and water.
- Eye/face protection : Safety glasses
- Skin and body protection : Wash contaminated clothing before re-use.
- Other information : Wash hands before breaks and at the end of workday.
- Environmental Exposure Controls : Refer to section 6.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.004

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : clear

Odour : odourless

Odour Threshold : Test not applicable for this product type

pH : 13.4
(undiluted)

Melting point/freezing point : 0 °C

Initial boiling point and boiling range : > 93 °C

Flash point : does not flash

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : The product is not flammable.

Upper/lower flammability or explosive limits : Not measured as flashpoint >100 °C

Vapour pressure : Not measured as flashpoint >100 °C

Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.004

| | | | |
|--|---|--|---|
| Vapour density | : | Not measured as flashpoint >100 °C | |
| Relative density | : | 1.1 g/cm ³ at 25 °C | |
| Solubility(ies) | : | completely soluble | |
| Partition coefficient: n-octanol/water | : | Not required as the product is a mixture. | |
| Auto-ignition temperature | : | Not measured as flashpoint >100 °C | |
| Decomposition temperature | : | Not measured as mixture is not self-reactive | |
| Viscosity, dynamic | : | 1,500 mPa.s | |
| Viscosity, kinematic | : | 1,818 mm ² /s | |
| Explosive properties | : | Test not applicable for this product type | |
| Oxidizing properties | : | not required | |
| 9.2 Other information | | | |
| Other information | : | None identified | : |

SECTION 10: STABILITY AND REACTIVITY

| | | |
|--------------------------------|---|---|
| 10.1 Reactivity | : | Warning! Do not use together with other products. May release dangerous gases (chlorine). |
| 10.2 Chemical stability | : | Stable under recommended storage conditions. |

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

00000006629.004

10.3 Possibility of hazardous reactions : Warning! Do not use together with other products. May release dangerous gases (chlorine).

10.4 Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials : Warning! Do not use together with other products. May release dangerous gases (chlorine).
Do not mix with acids or any other household products. May release dangerous gases (chlorine).

10.6 Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute oral toxicity**

| Name | Method | Species | Dose |
|---------|--------------------|---------|----------|
| Product | LD50 Calculated | | > 2 g/kg |

Acute inhalation toxicity

| Name | Method | Species | Dose | Exposure time |
|---------|-----------------------------|---------|-----------|---------------|
| Product | LC50 (vapour) Calculated | | > 20 mg/l | |

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.004

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

Acute dermal toxicity

| Name | Method | Species | Dose |
|---------|--------------------|---------|---------------|
| Product | LD50 Calculated | | > 2,000 mg/kg |

Acute oral toxicity

| Name | Method | Species | Dose |
|--|------------------|---------|-------------|
| Sodium hypochlorite | LD50 | Rat | 1,100 mg/kg |
| caustic soda | LD50 Measured | Rat | 325 mg/kg |
| sodium chlorate | LD50 | Rat | 4,950 mg/kg |
| sodium bromate | LD50 | Rat | 157 mg/kg |
| Amines, C12-18-alkyldimethyl, N-oxides | LD50 Measured | Rat | 846 mg/kg |

Acute inhalation toxicity

| Name | Method | Species | Dose | Exposure time |
|---------------------|--------|---------|------|---------------|
| Sodium hypochlorite | | | | |

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.004

| | | | | |
|--|-------------------|--|--|--|
| caustic soda | No data available | | | |
| sodium chlorate | | | | |
| sodium bromate | No data available | | | |
| Amines, C12-18-alkyldimethyl, N-oxides | No data available | | | |

Acute dermal toxicity

| Name | Method | Species | Dose |
|--|-------------------|---------|----------------|
| Sodium hypochlorite | LD50 | Rabbit | > 20,000 mg/kg |
| caustic soda | LD50 | Rabbit | 1,350 mg/kg |
| sodium chlorate | LD50 | Rabbit | > 2,000 mg/kg |
| sodium bromate | No data available | | |
| Amines, C12-18-alkyldimethyl, N-oxides | LD50 Measured | Rat | > 2,000 mg/kg |

Skin corrosion/irritation : Causes severe skin burns.

Serious eye damage/eye irritation : Causes serious eye damage.

Skin sensitisation : Based on available data, the classification criteria are not met.

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Mr Muscle® Drain Gel

Version 5.0
 Revision Date 17.11.2022

Print Date 08.02.2023
 Specification Number: 350000007542
 SITE FORM Number:
 300000000000000006629.00630000000
 000000006629.004

- Carcinogenicity : Based on available data, the classification criteria are not met.
- Toxicity for reproduction : Based on available data, the classification criteria are not met.
- STOT - single exposure : Based on available data, the classification criteria are not met.
- STOT - repeated exposure : Based on available data, the classification criteria are not met.
- Aspiration hazard : Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

12.1 Toxicity

Toxicity to fish

| Components | End point | Species | Value | Exposure time |
|---------------------|-----------|--|-------------------|---------------|
| Sodium hypochlorite | LC50 | Fish | 0.06 mg/l | 96 h |
| | NOEC | | 0.01 - < 0.1 mg/l | 28 d |
| caustic soda | LC50 | Fish | 35 - 189 mg/l | 96 h |
| sodium chlorate | LC50 | Lepomis macrochirus (Bluegill sunfish) | 1,000 mg/l | 96 h |

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.004

| | | | | |
|--|--|--------------------------------------|------------|------|
| | NOEC | Danio rerio (zebra fish) | > 500 mg/l | 36 d |
| sodium bromate | No data available | | | |
| Amines, C12-18-alkyldimethyl, N-oxides | LC50 semi-static test Measured OECD Test Guideline 203 | Oncorhynchus mykiss (rainbow trout) | 1.26 mg/l | 96 h |
| | NOEC Read-across (Analogy) | Pimephales promelas (fathead minnow) | 0.495 mg/l | 15 d |

Toxicity to aquatic invertebrates

| Components | End point | Species | Value | Exposure time |
|---------------------|------------------|----------------------------|------------|---------------|
| Sodium hypochlorite | EC50 | Ceriodaphnia dubia | 0.035 mg/l | 48 h |
| caustic soda | EC50 | Daphnia magna (Water flea) | 40.4 mg/l | 48 h |
| sodium chlorate | EC50 | Daphnia magna (Water flea) | 1,172 mg/l | 48 h |
| | NOEC | Daphnia magna | > 500 mg/l | 21 d |
| sodium bromate | EC50 static test | Daphnia magna (Water flea) | > 100 mg/l | 48 h |

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.006300000000

000000006629.004

| | | | | |
|--|----------------------------|----------------------------|----------|------|
| Amines, C12-18-alkyldimethyl, N-oxides | EC50 static test | Daphnia magna (Water flea) | 2.4 mg/l | 48 h |
| | NOEC Read-across (Analogy) | Daphnia magna | 0.7 mg/l | 21 d |

Toxicity to aquatic plants

| Components | End point | Species | Value | Exposure time |
|--|-------------------|---|-------------|---------------|
| Sodium hypochlorite | ErC50 | Pseudokirchneriella subcapitata (green algae) | 0.0499 mg/l | 72 h |
| caustic soda | No data available | | | |
| sodium chlorate | EbC50 | Scenedesmus capricornutum (fresh water algae) | 129 mg/l | 72 h |
| sodium bromate | NOEC Static | Scenedesmus sp. | 31.6 mg/l | 72 h |
| Amines, C12-18-alkyldimethyl, N-oxides | ErC50 Measured | Desmodesmus subspicatus (green algae) | 0.8 mg/l | 72 h |

12.2 Persistence and degradability

| Component | Biodegradation | Exposure time | Summary |
|---------------------|-------------------|---------------|---------|
| Sodium hypochlorite | No data available | | |

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.004

| | | | |
|--|-------------------|------|------------------------|
| caustic soda | No data available | | |
| sodium chlorate | No data available | | |
| sodium bromate | No data available | | |
| Amines, C12-18-alkyldimethyl, N-oxides | > 80 % | 28 d | Readily biodegradable. |

12.3 Bioaccumulative potential

| Component | Bioconcentration factor (BCF) | Partition Coefficient n-Octanol/water (log) |
|--|-------------------------------|---|
| Sodium hypochlorite | No data available | -3.42 |
| caustic soda | 0.89 estimated | -1.38 |
| sodium chlorate | 3.16 | < 0.001 |
| sodium bromate | No data available | No data available |
| Amines, C12-18-alkyldimethyl, N-oxides | No data available | 2.69 |

12.4 Mobility in soil

| Component | End point | Value |
|----------------------------------|-------------------|-------|
| Sodium hypochlorite | No data available | |
| caustic soda | No data available | |
| sodium chlorate | Koc | 31.82 |
| sodium bromate | No data available | |
| Amines, C12-18-alkyldimethyl, N- | Koc | > 619 |

Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.004

| | | |
|--------|--|--|
| oxides | | |
|--------|--|--|

12.5 Results of PBT and vPvB assessment

| Component | Results |
|--|--------------------------------------|
| Sodium hypochlorite | Not fulfilling PBT and vPvB criteria |
| caustic soda | Not fulfilling PBT and vPvB criteria |
| sodium chlorate | Not fulfilling PBT and vPvB criteria |
| sodium bromate | Not fulfilling PBT and vPvB criteria |
| Amines, C12-18-alkyldimethyl, N-oxides | Not fulfilling PBT and vPvB criteria |

12.6 Other adverse effects : None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Disposal should be in accordance with local, state or national legislation.
Please recycle empty packaging.

Packaging : Do not re-use empty containers.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**Mr Muscle® Drain Gel**Version 5.0
Revision Date 17.11.2022Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.004**SECTION 14: TRANSPORT INFORMATION**

| | Land transport | Sea transport | Air transport |
|---|--|--|--|
| 14.1 UN number | 3266 | 3266 | 3266 |
| 14.2 UN proper shipping name | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium hypochlorite) | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium hypochlorite) | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium hypochlorite) |
| 14.3 Transport hazard class(es) | 8 | 8 | 8 |
| 14.4 Packing group | II | II | II |
| 14.5 Environmental hazards | | Marine pollutant | |
| 14.6 Special precautions for user | Limited quantities derogation may be applicable to this product, please check transport documents. | Limited quantities derogation may be applicable to this product, please check transport documents. | Limited quantities derogation may be applicable to this product, please check transport documents. |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Product not transported as bulk. | Product not transported as bulk. | Product not transported as bulk. |

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture : This safety datasheet complies with the requirements of:
Regulation (EC) No. 1907/2006.
Regulation (EC) No. 1272/2008 (CLP) as amended (not applicable to

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.004

cosmetics)

Regulation (EC) No. 528/2012 as amended (applicable to biocidal products)

Directive (EEC) No. 75/324 as amended (applicable to aerosols)

Regulation (EC) No. 1223/2009 amended (applicable to cosmetic products)

Regulation (EC) No. 684/2001 The surfactants contained in this preparation comply with the biodegradability criteria laid down in Regulation (EC) No.648/2004 for detergents (applicable to detergents).

Directive (EC) No. 2001/95/EC - General Product Safety Directive

European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

Directive 2012/18/EU Seveso

Regulation (EU) 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

SZW list of carcinogenic, mutagenic and reproductively toxic substances

15.2 Chemical safety assessment : Not required for consumer products.

SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

Key abbreviations or acronyms used

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



Mr Muscle® Drain Gel

Version 5.0
Revision Date 17.11.2022

Print Date 08.02.2023
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.004

- EC - European Community
- EEC – European Economic Community
- CLP – Classification Labelling & Packaging
- EN – European Standard or European Norm
- PBT – Persistent, Bioaccumulative & Toxic
- vPvB – very persistent, very bioaccumulative
- UN – United Nations

Evaluation methods

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

Full text of H-Statements

| | |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
|------|--|

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



Mr Muscle® Drain Gel

Version 5.0

Revision Date 17.11.2022

Print Date 08.02.2023

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.004